

---

---

**UNITED STATES  
SECURITIES AND EXCHANGE COMMISSION  
Washington, D.C. 20549**

**FORM 6-K**

**REPORT OF FOREIGN PRIVATE ISSUER PURSUANT TO RULE 13a-16 OR 15d-16 UNDER THE SECURITIES  
EXCHANGE ACT OF 1934**

**Date of Report: December 5, 2023**

Commission File Number: **001-40377**

**Valneva SE**

(Translation of registrant's name into English)

**6 rue Alain Bombard**

**44800 Saint-Herblain, France**

**(Address of principal executive office)**

Indicate by check mark whether the registrant files or will file annual reports under cover of Form 20-F or Form 40-F.  
Form 20-F  Form 40-F

---

On December 4, 2023, the Registrant issued press releases, copies of which are attached hereto as Exhibits 99.1 and 99.2 and are incorporated herein by reference. The information contained in this Form 6-K, including Exhibits 99.1 and 99.2, is hereby incorporated by reference into the registrant's Registration Statement on Form F-3 (File No. 333-266839).

**Exhibit**

[99.1](#) [Press release dated December 4, 2023](#)  
[99.2](#) [Press release dated December 4, 2023](#)

---

## SIGNATURES

Pursuant to the requirements of the Securities Exchange Act of 1934, the registrant has duly caused this report to be signed on its behalf by the undersigned, thereunto duly authorized.

Valneva SE  
(Registrant)

Date: December 5, 2023

/s/ Thomas Lingelbach  
Thomas Lingelbach  
Chief Executive Officer and President

## Valneva Reports Positive 24-Month Antibody Persistence Data for its Single-Shot Chikungunya Vaccine IXCHIQ®

- *Primary endpoint met with 97% seroresponse rate 24 months after a single vaccination*
- *Antibody levels remained high and well above the seroresponse threshold, further supporting the anticipated long-term durability of the immune response*
- *No safety concerns identified in long-term follow up*

**Saint-Herblain (France), December 4, 2023** – Valneva SE (Nasdaq: VALN; Euronext Paris: VLA), a specialty vaccine company, today reported positive antibody persistence data twenty-four months after vaccination with a single dose of its chikungunya vaccine IXCHIQ®, further supporting the anticipated long-term durability of the immune response and in line with positive twelve-month persistence data the Company reported in December 2022<sup>1</sup>. These persistence data are intended to supplement the existing approval by U.S. FDA and ongoing regulatory approval processes.

97% of the 316 healthy adults still enrolled in the trial retained neutralizing antibody titers above the seroresponse threshold<sup>2</sup> twenty-four months after the single-dose vaccination. The persistence of antibodies in older adults aged 65 and above was as robust as in younger adults, and even slightly higher in terms of geometric mean titers (GMTs) and seroconversion rates (SRRs). This outcome underscores the vaccine's potential to offer strong and lasting protection against chikungunya across different age groups. These results follow completion of the pivotal Phase 3 study published in the *Lancet*<sup>3</sup> in which a seroresponse rate of 96% six months after a single vaccination<sup>1</sup> was reported.

Study VLA1553-303 collected long-term safety by following any Adverse Event of Special Interest (AESI) from the preceding study and collecting new-onset SAEs. No safety concerns were identified for the duration of the 24-month follow-up and, as reported in the 12-months data analysis, no AESI was ongoing when participants were enrolled in the trial.

**Juan Carlos Jaramillo M.D., Chief Medical Officer** of Valneva, said, “We are very pleased about these twenty-four-month data which confirm IXCHIQ®’s ability to induce a robust, long-lasting antibody response in both younger and older adults with a single vaccination. Being the world’s first approved vaccine against chikungunya, each positive outcome further strengthens the defense against this significant and expanding public health threat.”

Valneva was granted U.S. FDA approval<sup>4</sup> for its chikungunya vaccine IXCHIQ® in November 2023<sup>5</sup>. Two marketing applications are currently under review by EMA and Health Canada with potential approvals in mid-2024. A clinical study in adolescents is also ongoing in Brazil for which the Company reported positive pivotal Phase 3 data in November 2023<sup>6</sup>. This study is intended to support label extension in this age group and licensure of the vaccine in Brazil, which would be the first potential approval for use in endemic populations.

### About Chikungunya

Chikungunya is a mosquito-borne viral disease caused by the chikungunya virus (CHIKV), a Togaviridae virus, transmitted by Aedes mosquitoes. Infection leads to symptomatic disease in up to 97% of humans after four to seven days following the mosquito bite<sup>7</sup>. While mortality with CHIKV is low, morbidity is high, and the global market for vaccines against chikungunya is estimated to exceed \$500 million annually by 2032<sup>8</sup>. Clinical symptoms include acute onset of fever, debilitating joint and muscle pain, headache, nausea, rash and chronic arthralgia. Chikungunya virus often causes sudden large outbreaks with high attack rates, affecting one-third to three-quarters of the population in areas where the virus is circulating. The high-risk areas of infection for travelers are places where chikungunya virus-carrying mosquitos are endemic, including the Americas, parts of Africa, and Southeast Asia, and the virus has spread to more than 110 countries<sup>9</sup>. Between 2013 and 2023, more than 3.7 million cases were reported in the Americas<sup>10</sup> and the economic impact is considered to be significant. The medical and economic burden is expected to grow as the CHIKV primary mosquito vectors continue to spread geographically. Before IXCHIQ®, there were no preventive vaccines or effective treatments available and, as such, chikungunya is considered to be a major public health threat.

### About IXCHIQ®

In the U.S., IXCHIQ® is a live-attenuated vaccine indicated for the prevention of disease caused by chikungunya virus (CHIKV) in individuals 18 years of age and older who are at increased risk of exposure to CHIKV. As for all products approved under FDA’s accelerated approval pathway, continued approval for this indication is contingent upon verification and description of clinical benefit in confirmatory studies.

### IXCHIQ® (chikungunya virus, live) Solution for Intramuscular Injection

#### Indication

IXCHIQ® is a vaccine indicated for the prevention of disease caused by chikungunya virus (CHIKV) in individuals 18 years and older who are at increased risk of exposure to CHIKV. This indication is approved under accelerated approval based on anti-CHIKV neutralizing antibody titers. Continued approval for this vaccine is contingent upon verification and description of clinical benefit in confirmatory studies.

**IMPORTANT SAFETY INFORMATION ABOUT IXCHIQ®** – Please consult the full prescribing information for all the labeled safety information.

### **Contraindications**

IXCHIQ® should not be given to individuals who have a weakened immune system due to medications used for hematologic and solid tumors, on chemotherapy, history of congenital immunodeficiency, long-term immunosuppressive therapy, or patients with HIV infection who are severely immunocompromised.

Individuals with a history of a severe allergic reaction to any component of the vaccine.

### **Warnings**

**Appropriate medical treatment used to manage immediate allergic reactions** must be available in the event an acute anaphylactic reaction following administration of IXCHIQ® or any vaccine.

**Vaccination with IXCHIQ® may cause severe or prolonged chikungunya-like adverse reactions.** Severe chikungunya-like adverse reactions that prevented daily activity and/or required medical intervention occurred in 1.6% of 3,082 IXCHIQ® recipients and no placebo recipients. Fourteen IXCHIQ® recipients had prolonged (duration at least 30 days) chikungunya-like adverse reactions.

**Infection of pregnant individuals with wild-type chikungunya virus can result in intra-partum transmission and potentially fatal neonatal complications.** IXCHIQ® should be administered during pregnancy only after an individual risk-benefit assessment, considering maternal risk of chikungunya infection and gestational age.

Fainting can occur with administration of IXCHIQ®. Procedures should be in place to avoid injury from fainting.

**IXCHIQ® may not protect all individuals who receive the vaccine.**

### **Adverse Reactions**

The most common injection site reaction (>10%) was tenderness (11%) and the most common systemic adverse reactions (>10%) were headache (31%), fatigue (29%), myalgia (24%), arthralgia (17%), fever (13%) and nausea (11%).

### **Use in Specific Populations**

#### **Pregnancy**

There are no adequate and well-controlled studies of IXCHIQ® in pregnant individuals, and human data available from clinical trials with IXCHIQ® are insufficient to establish the presence or absence of vaccine-associated risk during pregnancy.

**Please click here for full Prescribing Information for IXCHIQ®.**

#### **About Phase 3 trial VLA1553-303**

VLA1553-303 is a single-arm, open label Phase 3 trial evaluating antibody persistence in 363 participants aged 18 years or above who were immunized with VLA1553 during the pivotal trial VLA1553-301. The primary objective of the trial is to evaluate the persistence of antibodies annually from one to five years after the single immunization with VLA1553. Study VLA1553-303 collected long-term safety by following-up any Adverse Event of Special Interest (AESI) from the preceding clinical study and collecting new-onset SAE up to two years. When participants joined the follow-up study, no AESI was ongoing.

Additional information, including a detailed description of the trial design, eligibility criteria and investigator sites, is available at ClinicalTrials.gov (Identifier: NCT04546724).

#### **About Valneva SE**

We are a specialty vaccine company that develops, manufactures, and commercializes prophylactic vaccines for infectious diseases addressing unmet medical needs. We take a highly specialized and targeted approach, applying our deep expertise across multiple vaccine modalities, focused on providing either first-, best- or only-in-class vaccine solutions.

We have a strong track record, having advanced multiple vaccines from early R&D to approvals, and currently market two proprietary travel vaccines as well as certain third-party vaccines leveraging our established commercial infrastructure.

Revenues from our growing commercial business help fuel the continued advancement of our vaccine pipeline. This includes the world's first vaccine against the chikungunya virus and the only Lyme disease vaccine candidate in advanced clinical development, which is partnered with Pfizer, as well as vaccine candidates against the Zika virus and other global public health threats.

#### **Valneva Investor and Media Contacts**

Laetitia Bachelot-Fontaine

VP Global Communications & European Investor Relations Joshua Drumm, Ph.D.

M +33 (0)6 4516 7099

VP Global Investor Relations

laetitia.bachelot-fontaine@valneva.com

## Forward-Looking Statements

This press release contains certain forward-looking statements relating to the business of Valneva, including with respect to the progress, timing, results and completion of research, development and clinical trials for product candidates, to regulatory approval of product candidates and review of existing products. In addition, even if the actual results or development of Valneva are consistent with the forward-looking statements contained in this press release, those results or developments of Valneva may not be sustained in the future. In some cases, you can identify forward-looking statements by words such as “could,” “should,” “may,” “expects,” “anticipates,” “believes,” “intends,” “estimates,” “aims,” “targets,” or similar words. These forward-looking statements are based largely on the current expectations of Valneva as of the date of this press release and are subject to a number of known and unknown risks and uncertainties and other factors that may cause actual results, performance or achievements to be materially different from any future results, performance or achievement expressed or implied by these forward-looking statements. In particular, the expectations of Valneva could be affected by, among other things, uncertainties and delays involved in the development and manufacture of vaccines, unexpected clinical trial results, unexpected regulatory actions or delays, competition in general, currency fluctuations, the impact of the global and European credit crisis, and the ability to obtain or maintain patent or other proprietary intellectual property protection. Success in preclinical studies or earlier clinical trials may not be indicative of results in future clinical trials. In light of these risks and uncertainties, there can be no assurance that the forward-looking statements made during this presentation will in fact be realized. Valneva is providing the information in these materials as of this press release and disclaim any intention or obligation to publicly update or revise any forward-looking statements, whether as a result of new information, future events, or otherwise.

---

*1 Valneva Reports Positive 12-Month Antibody Persistence Data for Single-Shot Chikungunya Vaccine Candidate - Valneva*  
*2 A neutralizing antibody titer of  $\geq 150$  determined by  $\mu$ PRNT<sub>50</sub>, i.e. the antibody level agreed with regulators as endpoint under the accelerated approval pathway.*

*3 Valneva Announces Publication of its Chikungunya Vaccine Candidate Phase 3 Data in The Lancet*

*4 Valneva Announces U.S. FDA Approval of World's First Chikungunya Vaccine, IXCHIQ® - Valneva*

*5 Valneva Announces U.S. FDA Approval of World's First Chikungunya Vaccine, IXCHIQ® - Valneva*

*6 Valneva Reports Positive Pivotal Phase 3 Immunogenicity Data in Adolescents for its Single-Shot Chikungunya Vaccine Candidate - Valneva*

*7 Staples, J.E. Hills, S.L. Powers, A.M. "Chikungunya." In CDC Yellow Book 2020: Health Information for International Travel, by Centers for Disease Control and Prevention. New York: Oxford University Press, 2020*

*8 VacZine Analytics Chikungunya virus vaccines Global demand analysis. February 2020*

*9 <https://www.who.int/news-room/fact-sheets/detail/chikungunya>*

*10 PAHO/WHO data: Number of reported cases of chikungunya fever in the Americas (Cumulative Cases 2018-2023 and Cases per year 2013-2017). <https://www.paho.org/data/index.php/en/mnu-topics/chikv-en/550-chikv-weekly-en.html>. Last accessed 01 Aug 2023.*

## Pfizer and Valneva Complete Recruitment for Phase 3 VALOR Trial for Lyme Disease Vaccine Candidate, VLA15

- 9,437\* participants enrolled at sites across the U.S., Europe and Canada in areas where Lyme disease is endemic
- Trial conclusion expected by year-end 2025
- Pfizer aims to submit regulatory filings in the U.S. and Europe in 2026

**New York, NY, and Saint-Herblain (France), December 4, 2023** – Pfizer Inc. (NYSE: PFE) and Valneva SE (Nasdaq: VALN; Euronext Paris: VLA) today announced that they have completed recruitment for the Phase 3 trial Vaccine Against Lyme for Outdoor Recreationists (VALOR) (NCT05477524) for Lyme disease vaccine candidate VLA15. The trial builds on previous positive Phase 1 and 2 trial results and includes both adult and pediatric participants, with the aim to confirm the efficacy, safety, lot consistency, and immunogenicity of VLA15.

“We are pleased that the Phase 3 trial recruitment is complete. Lyme disease is the most prevalent vector-borne infectious disease in the United States and Europe, can sometimes even lead to long lasting consequences,” said **Annaliesa Anderson, Ph.D., Senior Vice President and Head Vaccine Research and Development, Pfizer**. “If approved, a vaccine could prevent the disease and ease the burden of acute, severe and sometimes persistent consequences in both adults and children. We look forward to progressing the trial with the goal of submitting a Biologics License Application (BLA) to the U.S. Food and Drug Administration (FDA) and Marketing Authorization Application (MAA) to the European Medicines Agency (EMA) in 2026, subject to positive data.”

**Juan Carlos Jaramillo M.D., Chief Medical Officer of Valneva**, said: “The completion of enrollment is indeed an important milestone in the development of a potential vaccine for Lyme disease. VLA15 has the potential to address a high need in North America and Europe, as it has been designed to offer coverage for the most common circulating types of *Borrelia* bacteria that cause Lyme disease in these regions. We’re excited about the ongoing trials and the progress towards potentially offering a vaccine against this disease which can result in debilitating sequelae and excessive healthcare usage.”

The VALOR trial, which was initiated in August 2022, has enrolled 9,437\* participants five years of age and older, at sites in areas where Lyme disease is highly endemic across the U.S., Europe and Canada. As part of the primary series, participants receive three doses of VLA15 or a saline placebo (1:1 ratio) within the first year, and one booster dose approximately one year after completion of the primary immunization.

The VLA15 candidate has demonstrated a strong immune response and had a favorable safety profile across all dose and age groups in pre-clinical and clinical trials so far.<sup>1,2</sup> No vaccine-related serious adverse events (SAEs) and no safety concerns were observed by an independent Data Safety Monitoring Board (DSMB).<sup>1,2</sup> A second Phase 3 trial (C4601012), aiming to provide further evidence on the safety profile of VLA15 in the pediatric population, is also fully recruited.

The VALOR trial is expected to be concluded by the end of 2025. Pfizer and Valneva entered into a collaboration agreement in April 2020 to co-develop VLA15, with updates to the terms within this agreement made in June 2022.<sup>3,4</sup>

### About VLA15

There are currently no approved human vaccines for Lyme disease, and VLA15 is the most advanced Lyme disease vaccine candidate currently in clinical development, with two Phase 3 trials in progress. This investigational multivalent protein subunit vaccine uses an established mechanism of action for a Lyme disease vaccine that targets the outer surface protein A (OspA) of *Borrelia burgdorferi*, the bacteria that cause Lyme disease. OspA is a surface protein expressed by the bacteria when present in a tick. Blocking OspA inhibits the bacterium’s ability to leave the tick and infect humans. The vaccine candidate covers the six most common OspA serotypes expressed by the *Borrelia burgdorferi sensu lato* species that are prevalent in North America and Europe. VLA15 is an alum-adsorbed formulation, administered intramuscularly and has demonstrated a strong immune response as well as satisfactory safety profile in pre-clinical and clinical trials so far.

### About the VALOR trial

VALOR is an ongoing randomized, observer-blind, placebo-controlled Phase 3 trial which has enrolled 9,437\* participants 5 years of age and older to receive VLA15 or a saline placebo (1:1 ratio). As part of the primary series, participants receive three doses of VLA15 within the first year at months 0, 2 and 5-9, and one booster dose 9-12 months after completion of the primary immunization.<sup>5</sup> The final primary series vaccination for participants occurs just before the peak Lyme disease season for the region. Participants will be followed for the occurrence of Lyme disease. The trial is conducted at sites located in areas where Lyme disease is highly endemic across the U.S., Canada and Europe and has enrolled volunteers with a cleared past infection with *Borrelia burgdorferi* as well as *Borrelia burgdorferi* naïve volunteers.

### About Lyme Disease

Lyme disease is a systemic infection caused by *Borrelia burgdorferi* bacteria transmitted to humans by the bite of an infected Ixodes ticks.<sup>6</sup> It is considered the most common vector-borne illness in the Northern Hemisphere.<sup>7,8</sup> While the true incidence of Lyme disease is unknown, it is estimated to annually affect approximately 476,000 people in the U.S. and 129,000 people in Europe.<sup>8,9</sup> Early symptoms of Lyme disease (such as a gradually expanding erythematous rash called *Erythema migrans* or more nonspecific symptoms like fatigue, fever, headache, mild stiff neck, arthralgia or myalgia) are often overlooked or misinterpreted. Left untreated, the disease can disseminate and cause more serious chronic complications affecting the skin, joints (arthritis), the

heart (carditis) or the nervous system.<sup>9,10</sup> The medical need for vaccination against Lyme disease is steadily increasing as the geographic footprint of the disease widens.<sup>11</sup>

\* Number of evaluable participants

### **About Pfizer: Breakthroughs That Change Patients' Lives**

At Pfizer, we apply science and our global resources to bring therapies to people that extend and significantly improve their lives. We strive to set the standard for quality, safety and value in the discovery, development and manufacture of health care products, including innovative medicines and vaccines. Every day, Pfizer colleagues work across developed and emerging markets to advance wellness, prevention, treatments and cures that challenge the most feared diseases of our time. Consistent with our responsibility as one of the world's premier innovative biopharmaceutical companies, we collaborate with health care providers, governments and local communities to support and expand access to reliable, affordable health care around the world. For more than 170 years, we have worked to make a difference for all who rely on us. We routinely post information that may be important to investors on our website at [www.Pfizer.com](http://www.Pfizer.com). In addition, to learn more, please visit us on [www.Pfizer.com](http://www.Pfizer.com) and follow us on Twitter at [@Pfizer](https://twitter.com/Pfizer) and [@Pfizer News](https://twitter.com/Pfizer_News), [LinkedIn](https://www.linkedin.com/company/pfizer), [YouTube](https://www.youtube.com/channel/UCv31111111111111111111) and like us on Facebook at [Facebook.com/Pfizer](https://www.facebook.com/Pfizer)

### **Pfizer Disclosure Notice**

*The information contained in this release is as of December 4, 2023. Pfizer assumes no obligation to update forward-looking statements contained in this release as the result of new information or future events or developments.*

*This release contains forward-looking information about an investigational Lyme disease vaccine candidate, VLA15, and a collaboration between Pfizer and Valneva for VLA15, including their potential benefits, Phase 3 clinical trials and the timing of potential regulatory submissions, that involves substantial risks and uncertainties that could cause actual results to differ materially from those expressed or implied by such statements. Risks and uncertainties include, among other things, the uncertainties inherent in research and development, including the ability to meet anticipated clinical endpoints, commencement and/or completion dates for our clinical trials, regulatory submission dates, regulatory approval dates and/or launch dates, including uncertainties relating to the time needed to accrue cases in the Phase 3 trial and uncertainties relating to an agreement with regulatory authorities on any modifications to the clinical trial plan as needed, as well as the possibility of unfavorable new clinical data and further analyses of existing clinical data; the risk that clinical trial data are subject to differing interpretations and assessments by regulatory authorities; whether regulatory authorities will be satisfied with the design of and results from our clinical studies; whether and when drug applications may be filed in any jurisdictions for VLA15; whether and when any such applications may be approved by regulatory authorities, which will depend on myriad factors, including making a determination as to whether the product's benefits outweigh its known risks and determination of the product's efficacy and, if approved, whether VLA15 will be commercially successful; decisions by regulatory authorities impacting labeling, manufacturing processes, safety and/or other matters that could affect the availability or commercial potential of VLA15; uncertainties regarding the ability to obtain recommendations from vaccine advisory or technical committees and other public health authorities and uncertainties regarding the commercial impact of any such recommendations; whether our collaboration with Valneva will be successful; uncertainties regarding the impact of COVID-19 on Pfizer's business, operations and financial results; and competitive developments.*

*A further description of risks and uncertainties can be found in Pfizer's Annual Report on Form 10-K for the fiscal year ended December 31, 2022 and in its subsequent reports on Form 10-Q, including in the sections thereof captioned "Risk Factors" and "Forward-Looking Information and Factors That May Affect Future Results", as well as in its subsequent reports on Form 8-K, all of which are filed with the U.S. Securities and Exchange Commission and available at [www.sec.gov/](http://www.sec.gov/) and [www.pfizer.com/](http://www.pfizer.com/).*

### **About Valneva SE**

We are a specialty vaccine company that develops, manufactures, and commercializes prophylactic vaccines for infectious diseases addressing unmet medical needs. We take a highly specialized and targeted approach, applying our deep expertise across multiple vaccine modalities, focused on providing either first-, best- or only-in-class vaccine solutions.

We have a strong track record, having advanced multiple vaccines from early R&D to approvals, and currently market two proprietary travel vaccines as well as certain third-party vaccines leveraging our established commercial infrastructure.

Revenues from our growing commercial business help fuel the continued advancement of our vaccine pipeline. This includes the world's first vaccine against the chikungunya virus, the only Lyme disease vaccine candidate in advanced clinical development, which is partnered with Pfizer, as well as vaccine candidates against the Zika virus and other global public health threats.

### **Valneva Forward-Looking Statements**

*This press release contains certain forward-looking statements relating to the business of Valneva, including with respect to the progress, timing, results and completion of research, development and clinical trials for product candidates. In addition, even if the actual results or development of Valneva are consistent with the forward-looking statements contained in this press release, those results or developments of Valneva may not be sustained in the future. In some cases, you can identify forward-looking statements by words such as "could," "should," "may," "expects," "anticipates," "believes," "intends," "estimates," "aims," "targets," or similar words. These forward-looking statements are based largely on the current expectations of Valneva as of the date of this press release and are subject to a number of known and unknown risks and uncertainties and other factors that may cause actual results, performance or achievements to be materially different from any future results, performance or achievement expressed or implied by these forward-looking statements. In particular, the expectations of Valneva could be affected by, among other things, uncertainties involved in the development and manufacture of vaccines, unexpected clinical trial results, unexpected*



*regulatory actions or delays, competition in general, currency fluctuations, the impact of the global and European credit crisis, and the ability to obtain or maintain patent or other proprietary intellectual property protection. Success in preclinical studies or earlier clinical trials may not be indicative of results in future clinical trials. In light of these risks and uncertainties, there can be no assurance that the forward-looking statements made during this presentation will in fact be realized. Valneva is providing the information in these materials as of this press release and disclaim any intention or obligation to publicly update or revise any forward-looking statements, whether as a result of new information, future events, or otherwise.*

## **Media Contacts**

### **Pfizer**

Media Relations:  
PfizerMediaRelations@pfizer.com  
+1 212-733-1226

Investor Relations:  
IR@pfizer.com  
+1 212-733-4848

### **Valneva**

Laëtitia Bachelot-Fontaine  
VP Global Communications & European Investor Relations  
M +33 (0)6 4516 7099  
laetitia.bachelot-fontaine@valneva.com

Joshua Drumm, Ph.D.  
VP Global Investor Relations  
M +1 917 815 4520  
joshua.drumm@valneva.com

## **References**

1. Valneva and Pfizer Report Positive Pediatric and Adolescent Phase 2 Booster Results for Lyme Disease Vaccine Candidate, September 2023. Available at: <https://valneva.com/press-release/valneva-and-pfizer-report-positive-pediatric-and-adolescent-phase-2-booster-results-for-lyme-disease-vaccine-candidate/>, Accessed: November 2023.
2. Valneva and Pfizer Report Positive Phase 2 Pediatric Data for Lyme Disease Vaccine Candidate, April 2022. Available at: <https://valneva.com/press-release/valneva-and-pfizer-report-positive-phase-2-pediatric-data-for-lyme-disease-vaccine-candidate/> Accessed: November 2023.
3. Valneva and Pfizer Announce Collaboration to Co-Develop and Commercialize Lyme Disease Vaccine, VLA15. April 2020. Available at: <https://valneva.com/press-release/valneva-and-pfizer-announce-collaboration-to-co-develop-and-commercialize-lyme-disease-vaccine-vla15/> Accessed: November 2023.
4. Valneva and Pfizer Enter into Equity Subscription Agreement and Update Terms of Collaboration Agreement for Lyme Disease Vaccine Candidate VLA15. June 2022. Available at: <https://valneva.com/press-release/valneva-and-pfizer-enter-into-an-equity-subscription-agreement-and-update-terms-of-collaboration-agreement-for-lyme-disease-vaccine-candidate-vla15/> Accessed: November 2023.
5. ClinicalTrials.gov. An Efficacy, Safety, Tolerability, Immunogenicity, and Lot-Consistency Clinical Trial of a 6-Valent OspA-Based Lyme Disease Vaccine (VLA15) (VALOR). July 2022. Available from: <https://www.clinicaltrials.gov/ct2/show/NCT05477524>. Accessed: November 2023.
6. Stanek et al. Lyme Borreliosis, 2012, The Lancet 379:461–473
7. Burn L, et al. Incidence of Lyme Borreliosis in Europe from National Surveillance Systems (2005–2020). 2023. Vector Borne and Zoonotic Diseases. 23(4): 156–171.
8. Kugeler KJ, et al. Estimating the frequency of Lyme disease diagnoses—United States, 2010–2018. 2021. Emergency Infectious Disease. 27(2).
9. Centres for Disease Control. Lyme disease. Signs and Symptoms. Available from: [https://www.cdc.gov/lyme/signs\\_symptoms/index.html](https://www.cdc.gov/lyme/signs_symptoms/index.html). Accessed: September 2022.
10. Steere AC, Strle F, Wormser GP, et al. Lyme borreliosis. Nature Reviews Disease Primers. 2016;2:16090.
11. Centers for Disease Control. Understanding Lyme and Other Tickborne Diseases. May 2022. Available from: <https://www.cdc.gov/ncezid/dvbd/media/lyme-tickborne-diseases-increasing.html> Accessed: November 2023.